



US005577960A

**United States Patent** [19]**Sasaki**[11] **Patent Number:** **5,577,960**[45] **Date of Patent:** **Nov. 26, 1996**[54] **IMAGE SYNTHESIZING SYSTEM AND GAME PLAYING APPARATUS USING THE SAME**[75] **Inventor:** Kenji Sasaki, Tokyo, Japan[73] **Assignee:** Namco, Ltd., Tokyo, Japan[21] **Appl. No.:** 379,679[22] **PCT Filed:** Jun. 10, 1994[86] **PCT No.:** PCT/JP94/00943

§ 371 Date: Jun. 26, 1995

§ 102(e) Date: Jun. 26, 1995

[87] **PCT Pub. No.:** WO94/29813**PCT Pub. Date:** Dec. 22, 1994[30] **Foreign Application Priority Data**

Jun. 10, 1993 [JP] Japan ..... 5-166495

[51] **Int. Cl.<sup>6</sup>** ..... A63F 9/24[52] **U.S. Cl.** ..... 463/32; 463/31; 395/128[58] **Field of Search** ..... 395/152, 130, 395/128, 125, 122; 463/32, 31[56] **References Cited****U.S. PATENT DOCUMENTS**

4,213,252	7/1980	Sullivan et al.	395/130 X
4,343,037	8/1982	Bolton	395/125 X
4,615,013	9/1986	Yan et al.	395/130
4,692,880	9/1987	Merz et al.	395/130
4,727,365	2/1988	Bunker et al.	
4,821,212	4/1989	Heartz	395/125 X
4,827,252	5/1989	Busbridge et al.	395/125 X
4,845,651	7/1989	Aizawa et al.	395/125
4,953,107	8/1989	Hedley et al.	395/152 X
4,994,989	2/1991	Usami et al.	395/120
5,222,204	6/1993	Swanson	395/127
5,224,208	6/1993	Miller, Jr. et al.	395/125

5,261,041	11/1993	Susman	395/152
5,317,689	5/1994	Nack et al.	395/163
5,359,526	10/1994	Whittington et al.	
5,469,535	11/1995	Jaivis et al.	395/130

**FOREIGN PATENT DOCUMENTS**

1-205277	8/1989	Japan
3-268186	11/1991	Japan
4-238587	8/1992	Japan

**OTHER PUBLICATIONS**

"Illustrated Computer Graphics," *Computer Graphics User's Guide*, Sep. 1985, pp. 97-106.

*Primary Examiner*—Jessica Harrison  
*Assistant Examiner*—Michael O'Neill  
*Attorney, Agent, or Firm*—Oliff & Berridge


[57] **ABSTRACT**

A real-time display type image synthesizing system which can display a 3-D object with less polygons and with high resolution is provided.

The 3-D object data is stored in a 3-D object data storage unit 26 as shape models having different degrees of precision. The closer the 3-D object is to the view point in the view-point coordinate system, the object data of the shape model of higher precision is read out.

Texture information applied to each polygon in each of the shape models is stored in a texture information storage unit 32 as image information of different resolution for every shape model and for every polygon in the shape models.

An image forming unit 34 maps the texture information of precision corresponding to each polygon in the 3-D object perspectively projected and output by a 3-D calculation unit 22 onto the respective polygons to synthesize and display an image on a display 40.

**18 Claims, 11 Drawing Sheets****BEST AVAILABLE COPY**